

DELHI DEVELOPMENT AUTHORITY
OFFICE OF THE CHIEF ENGINEER (DWARKA)

No:CE(DWK)10(25)07/RTI/ 3508

Dated: 11.10.07

To

Shri Rajimon C.K.,
Secretary, Nav Sansad Vihar RWA,
Plot No.4, Sector-22,
Dwarka. New Delhi-110075.

Sub: Information required under RTI Act, 2005.

Please refer to your application dated 22.08.07, the desired information is given as under :

1. Area :- Civil

a) Roads : The officials responsible for the roads in Dwarka are as under :

EE/SWD-7 – Road No.201, 202, 205, 210 & 226.

EE/SWD-8 – Road No.209 ,215, 216, 219, 221 & 224

The road no.202, 210,224 & 226 work completed in Dec/2002 under the agreement no.27/EE/SWD-7/2000-01/DDA by M/s. Unitech Ltd. As per the records the gross work done is to the tune of Rs.26,11,48,583/-. The maintenance period for the main carriage is five years i.e. upto 31.12.07. The maintenance period of the service lane was three years i.e. upto 31.12.05. The maintenance of the service lane is being done by DDA.

The concerned staff who got the work executed is as under :

Shri Desraj	Executive Engineer(Retired)
Shri Jagdish Prasad	Asstt.Engineer
Shri Neeraj Bhargava	Jr.Engineer
Shri R.K.Gupta	Jr.Engineer

Road No.209, 215,216,219,221& 224 were completed on 07.12.03 by Ms/.Unitech Ltd. As per the record the gross work done is Rs.41,86,68,819/- . Maintenance period for the main carriage way is five years and for service lanes three yeas. The maintenance of service lane is being done by DDA.

The concerned staff who got the work executed is as under :

Shri S.K.Gupta,	Executive Engineer
-----------------	--------------------

Shri S.A.Jamali	Asstt.Engineer
Shri P.K.Tyagi	Jr.Engineer
Shri M.P.Sharma	Jr.Engineer
Shri Parveen Sharma	Jr.Engineer
Shri D.S.Yadav	Jr.Engineer

In regard to the construction of 30 mtr.road in Marble Market, Sector-22 & 23, the work was executed in 2001 having gross amount Rs.9,26,18,797/- and completed on 15.01.2003 by M/s.B.R.Arora & Associates. The detail of concerned staff is given as under :

Shri Desraj	Executive Engineer(Retired)
Shri Jagdish Prasad	Asstt.Engineer
Shri R.R.Gautum	Jr.Engineer
Shri Dinesh Kumar	Jr.Engineer
Shri Neeraj Bhargwas	Jr.Engineer
Shri M.L.Verma	Jr.Engineer

- b Pedestrian :- The work for pedestrian/ walkway for model sector-12 is in progress and shall be completed soon. EE./WD-9 is looking after this work.
- c Central Dividers/corner area/ junction : EE/SWD-7 and SWD-8 are responsible for central dividers/corner area/ junctions as per the details given under para a. *above.*
- d Parks/ community facility centers :-
- e Maintenance :-
- i) The detail of Executive Engineers responsible for the maintenance sector-wise is enclosed as Annexure - 1
 - ii) Yes, the officials name responsible for respective sectors have been circulated/ informed to respective CGHS/ RWA in all the sectors
 - iii) All the DDA properties/ plots have been marked properly/ timely.
 - iv) No, round the clock complaint/ help line no. of DDA(Dwk) is not available.
- f. i & ii) Maintenance work :
- The name of the officials responsible for the above cited roads are as under :

Road No.201

Shri P.K.Bhasker	Asstt.Engineer
Shri R.K.Gupta,	Jr.Engineer
Shri Subhash Gupta	Jr.Engineer
Shri Narender Singh	Jr.Engineer

Road No.202, 210 & 226

Shri Brijesh Gupta,
Shri M.M.Sharma
Shri Beniwal

Asstt.Engineer
Jr.Engineer
Jr.Engineer

Road No.205 :

Shri R.S.Rathi,
Shri S.K.Kaushik

Asstt.Engineer
Jr.Engineer

Road No.209 & 224 :

Shri S.K.Sharma
Shri D.B.Singh
Shri A.K.Mittal

Asstt.Engineer
Jr.Engineer
Jr.Engineer

Road No.219 & 221

Shri Satnam Singh
Shri R.K.Jain

Asstt.Engineer
Jr.Engineer

Road No.215 & 216

Shri V.N.S.Dabas
Shri R.K.Jain
Shri Dagar

Asstt.Engineer
Jr.Engineer
Jr.Engineer

Para 2 :

- Z. List required is attached herewith Annex A-A.
- AA. The average percentage attached of malies posted in different Sectors of Dwarka as per detail given in 2(a) above 90%.
- BB. The required list is enclosed herewith A-B.
- CC. -do-
- DD. -do-
- EE. The replacement of causalities is being done on regular basis.
- FF. As stated above.
- GG. Not applicable in view of (F) above.
- HH. Not applicable in view of above.
- II. Tree guards have been provided for those trees which are prone to be eaten by the animals or to be destroyed by the children while playing. For all the trees, tree guards are not provided.
- JJ. Yes, the tree guards are removed from time to time as and when the trees are grown-up.
- KK. The required list is attached herewith A-E.

- LL. The required list is attached herewith A-F.
- MM. The common entrance areas to all Sectors are not being maintained as is being done in Pkt.1 Sector-22 Dwarka.
- NN. According to Master Plan if the Civil Deptt. will provide protection wall and approach road and path the remaining area for tis green will be taken by the Horticulture.
- OO. The maintenance of all plants i/c decorative plants is being done on regular basis, nature of plants.
- PP. Yes, in all gardens of all Sectors grassing has been done except those gardens wherein land scaping is to be done.
- QQ. The grass cutting done on regular basis as per requirement
- RR. Pertains to Planning Deptt. of DDA.
- SS. As and when the area is transferred to Horticulture from Civil Wing the same will be developed and maintained by the Horticulture Division.
- TT. Yes.
- UU. Not applicable in view of (U above).
- VV. List of all staff has already been enclosed as per A & B.
- WW. The supervisory staff posted in each Sectors regularly visit the site and look after maintenance work.
- XX. Yes.

3. Electrical

S.No.	Sector	Street light points working	Street light points Lost or not working
1.	Master Plan Roads		
i)	60 mtr. wide roads-	1255 Nos.	130 Nos.
ii)	45 mtr. wide roads-	585 Nos.	253 Nos.
iii)	30 mtr. wide roads-	630 Nos.	648 Nos.
2.	Sectorial Roads less than 30 mtrs.		
i)	Sector - 3	62 Nos.	20 Nos.
ii)	Sector - 6	80 Nos.	20 Nos.

iii)	Sector - 13	151 Nos.	100 Nos.
iv)	Sector - 9	178 Nos.	36 Nos.
v)	Sector - 19	164 Nos.	33 Nos.

3. Street light post & lamps which were damaged ^{are} ~~we~~ being replaced on requirement. However, this work is in progress and will be made functional within one month.

4. Name of the officials i.e. EE(Elect.) along with their contract Nos. is given below:-

S.No.	Division Ref.	Name	Phone Nos.	
			Office	Residence
i)	El.Div. No.2	Shri N.C.Zedia	25075582	27393427
ii)	El.Div.No.5	Shri R.C.Mital	25081646	23238453
iii)	El.Div.No.12	Shri A.K.Sayal	25087318	28547302

5. List of the staff assigned to inspect and verify the working of street lighting is given below :

S.No.	Division Ref.	Name of AE (E)	Name of JE(E)
i)	El.Div.No.2	Sh.Tilak Singh	Sh.Mahesh Sharma
ii)	El.Div.No.5	Sh.Mahesh Vaswani	Sh. S.D.Jain
iii)	El.Div. No.12	Sh.Vidya Bhushan	Sh.Vijay Arora

6. The names as mentioned at 4 & 5 above.

7. Same as at 4 & 5 above. Details of sectors controlled by each division is given below :

S.No.	Div.Ref.	Sectors Nos.
i)	El.Div.No. 2	1,2,3 and 6 to 10.
ii)	El.Div. No.5	4,5 and 11 to 18.
iii)	El.Div. No. 12	19 to 29.

8. Park lighting :- Parks are will lit wherever lighting is provided.

9. Park lighting is generally provided on the request of Horticulture wing & lighting design by Land Scape Wing. At present no request is pending.

10. Park water supply power connection and power supply :- Yes, except Sector-22 near school where connection is yet to be given by B.R.P.L. although formalities have been completed by DDA.

11. For Sector-22, it will be done within one month.
12. No separate connection is provided for grass cutting machine. Since all works generally have power supply for pumps etc. Thus power is used for these works. Not given in all the parks.
13. Not applicable.

4. Sanitation :

- a. Desilting : Desilting of drains is in progress and shall be completed by 31.12.07.
- b,c,d&e. No such inquiry has been ordered for the water logging as this problem prevailed in whole Delhi and was not confined to Dwarka only. MCD is responsible to ensure that no water logging occurs.
- f. M.P., MLA & Sr.officers of DDA, MCD, Flood & Irrigation Deptt. visited their respective areas to gauge the situation of water logging.
- g&h. Complaints of water logging are received by Flood Control Room set up by DDA, MCD, Flood & Irrigation Deptt. and attended on top priority.
- i&j. All drains in Dwarka are covered except some of the portion in Sector-23 which shall be covered by 30.11.07.

5. Water :

- a. For peripheral water supply EE/WD-13 along with AE & JE may be contacted. For DDA housing Pkt., respective EE In-charge may be contacted. In case of short supply water is supplied through tankers on request.
- b. Water through tankers have been supplied to all the societies which are inhibited.
- c. Register of water supply from Sector-1 to 12 can be inspected at CT-2, near Madhu Vihar and for Sector-13 to 23 at CT-4, with the prior permission from CE(Dwk).
- d. Water through tankers is supplied due to short supply of water from DJB & low pressures in water line.
- e. All the requisite documents are checked before allowing tanker to supply water.
- f. Covers are provided at the inlet & outlet valve to prevent spilling of water.
- g & h. Tankers are disinfected once in a month.
- i. DJB water is not to be tested and tankers are disinfected once in a month.
- j. It's a policy matter.
- k. Land has been handed over to DJB for construction of water treatment plant.
- l. Treatment plant is yet to be constructed by DJB.

- m. Matter is being pursued with DJB at higher level to increase the water supply.
 - n. Pertains to DJB.
6. No Tolerance Zone(Encroachment Public):
- a. There is no specific policy/ arrangement in regard to making no tolerance zone after removal of unauthorized encroachment such as hawkers on footpath etc. However all efforts are made to remove the temporary unauthorized encroachment from the area with the help of police from time to time. But due to non availability any concrete policy of the Govt. in regard to lifting/removal of encroacher no fruitful result is ever achieved.
 - b. Yes.
 - c&d. No monitoring mechanism existing DDA with regard to no tolerance zone.
 - r & s. This office is not aware of any complaint from Shri P.Menon of Aashirwad Apartment, Sector-12
7. Social/ recreational :
Details of community center constructed in Dwarka is enclosed.
8. List of DDA staff :
Software is being prepared to put details of all DDA employee with their complete bio-date on the website soon.
10. Sports complex in Sector-23 is in Planning stage.
12. The matter is under planning stage and drawings are to be finalised by Chief Archt.
13. Zonal plan of Dwarka as per MPD 2001 is available in the office of Director(Plg.)Dwk.
14. It pertains to MCD.
16. Booklet of DDA budget can be had from Vikas Sadan after depositing the requisite fees.
17. Inspection of records for the works executed since Jan.,07 or completed after Jan.,07 can be done in the office of respective Ex.Engineer with prior appointment.

- m. Matter is being pursued with DJB at higher level to increase the water supply.
 - n. Pertains to DJB.
6. No Tolerance Zone(Encroachment Public):
- a. There is no specific policy/ arrangement in regard to making no tolerance zone after removal of unauthorized encroachment such as hawkers on footpath etc. However all efforts are made to remove the temporary unauthorized encroachment from the area with the help of police from time to time. But due to non availability any concrete policy of the Govt. in regard to lifting/removal of encroacher no fruitful result is ever achieved.
 - b. Yes.
 - c&d. No monitoring mechanism existing DDA with regard to no tolerance zone.
 - r & s. This office is not aware of any complaint from Shri P.Menon of Aashirwad Apartment, Sector-12
7. Social/ recreational :
Details of community center constructed in Dwarka is enclosed. *Annexure 2*
8. List of DDA staff :
Software is being prepared to put details of all DDA employee with their complete bio-date on the website soon.
- 10. Sports complex in Sector-23 is in Planning stage.
 - 12. The matter is under planning stage and drawings are to be finalised by Chief Archt.
 - 13. Zonal plan of Dwarka as per MPD 2001 is available in the office of Director(Plg.)Dwk.
 - 14. It pertains to MCD.
 - 16. Booklet of DDA budget can be had from Vikas Sadan after depositing the requisite fees.
 - 17. Inspection of records for the works executed since Jan.,07 or completed after Jan.,07 can be done in the office of respective Ex.Engineer with prior appointment.
 - 18. During the period 2005 to 31.07.07 only minor repair have been carried out on major road, Dwarka. The list of works is enclosed as per Annexure.
 - a-f. The work ^{was} executed through contract, the copy of the measurement books and drawing & detail estimate of the work can be seen in the office of Executive Engineer on any working ^{day} with prior appointment.

Encl: As above.

A.K.R.
(ER.A.K.Rastogi)
SE(HQ)DWK//DDA/PIO